SANITARY FITTINGS SANITARY FITTINGS EN STAINLESS STEEL

WAGNER ____EWAR



CONTENTS

PAGE 4 _GOOD TO KNOW

PAGE 30 _HAND CLEANING

PAGE 46 _HAND DRYING

PAGE 58 _COLLECTING WASTE

PAGE 72 _COMBINATIONS

PAGE 88 _TAPS

PAGE 92 _CUSTOM DESIGN

PAGE 96 _TOILET FITTINGS AND ACCESSORIES

PAGE 114 BARRIER-FREE LIVING

PAGE 124 _USEFUL INFORMATION



LOCATION

Wagner-EWAR has been developing and producing high quality stainless steel washroom products for commercial washrooms since 1974. We sell our products through independent sales agents within Germany and through exclusive importers worldwide.

STAINLESS STEEL

Wagner products are exclusively manufactured using high-quality nickel chromium steel, material number AISI 304 or higher quality. The visible surfaces are satin finished and in addition brushed. Stainless steel is the ideal material for durable and particularly hygienic products. It has a permanent antibacterial effect and can be disinfected – a crucial advantage over other materials.

QUALITY

All individual parts are deburred by machine before assembly. For the A-Line and L-Line, the housing edges are fully welded and attachment parts are fixed with virtually invisible spot welds. This ensures best possible hygiene and operating safety, also during maintenance.

EASY MOUNTING

Mounting is easy and time saving. Fixings are usually invisible and equipped with anti-theft protection; fixing materials are always supplied. For support rails and hinged support rails, suitable fixing kits can be ordered depending on the wall structure.

COST

Many of our soap and paper towel dispensers are supplied already filled. And afterwards you can permanently save on maintenance costs because our products can be refilled with standard commercial consumables which are also available from us.

CONTINUOUS OPERATION

Timeless design, modular elements and long-term spare parts availability ensure trouble-free use over many years.




A-LINE

The A-Line can be used to equip virtually any commercial washroom or toilet. It is the most comprehensive product line with a timeless, straight style and high-quality workmanship. Fully welded folded edges and virtually invisible connections to attachment parts ensure best possible hygiene.



L-LINE

The L-Line is our design alternative: conical housing with a vertical recess and square perforations is a further design feature with high recognition value. The workmanship in A-Line quality makes it suitable as standard equipment for surface mounting and under-counter mounting in washrooms.



P-LINE

The design of the P-Line is characterised by vertically rounded housing edges. In contrast to the A-Line and L-Line, the items are not fully welded but spot welded. The P-Line is suitable as standard equipment for washrooms and toilets in price-sensitive projects.



FUNCTIONAL SELF EXPLANATORY

PUBLIC WASHROOMS

At airports, stadiums, cinemas or universities and in other washrooms and toilets with changing visitors, we recommend robust, self-explanatory products in sizes that are adapted to the room dimensions. The focus is on anti-theft protection, low maintenance effort and best possible hygiene.





REDUCED HIGH QUALITY

NON-PUBLIC WASHROOMS

In office and administration areas – places which are usually frequented by employees and not by the public – the focus is on the overall design of the washroom, but also on very reduced designs. Mounting behind mirrors and in the base units are possible solutions.







ROBUST PRACTICAL

LARGE WASHROOMS

Highly frequented washrooms and toilets are equipped with several or larger units according to the room size. Space-saving solutions, such as mounting under tabletops or behind mirrors, are just as suitable as the use of combinations.








FLEXIBLE DISTINCTIVE

SURFACE MOUNTING

Surface mounting keeps all options open: for placement of the units, for any changes or additions. This mounting type is particularly simple to implement for building renovations and with stainless steel products it offers the advantage of reflecting the colours of the surroundings, allowing good integration.





STYLISH SPACE-SAVING EASY CARE

III FLUSH MOUNTING

The use of flush mounted units is particularly convenient for new buildings. The frame disappears entirely or partially in the wall, saving space and reducing the cleaning effort. The screw fixed housing front panels can simply be replaced after years of use.





REDUCED INVISIBLE

MOUNTING IN CABINETS/ BEHIND MIRRORS

This allows the implementation of "invisible" or "reduced" solutions. On permanently mounted mirror front panels, soap or paper towels are refilled from underneath. Concealed mounting is recommended for non-public washrooms. The supplied self-adhesive pictograms indicate the position of the dispensers.





SPACE-SAVING COMPREHENSIVE



Individually designed washbasins usually offer enough space for integrating our under counter models. This creates very elegant washbasin spaces. Optional wall or floor brackets also allow the units to be retrofitted.



WP 520



CERTIFIED COMPREHENSIVE

BARRIER-FREE LIVING

Our complete range for accessible washrooms offers the option of equipping all types of washrooms, toilets and showers from one source. The range also includes extensive accessories.



HAND CLEANING

		1. 02
	GOOD TO KNOW	
	WALL MOUNTED SOAP DISPENSERS	P. 34
	TABLETOP SOAP DISPENSERS	P. 36
_	WALL MOUNTING	
	A-LINE	P. 38
	P/L-LINE, HYGIENE DISPENSERS	P. 40
_	CABINET/MIRROR MOUNTING	
	CABINET MOUNTING	P. 42
	BEHIND MIRROR MOUNTING	P. 43
	TABLETOP SOAP DISPENSERS	
	CHROME-PLATED BRASS	P. 44
	STAINLESS STEEL	P 45

ON THE WALL









INSTAL-LATION









WIDE

REALLY

opening of the soap dispensers makes refilling quick and easy. The dispensers, made of stainless steel material no. AISI 316L, are particularly corrosion-resistant and also easy to clean from the

HIGHLY PRACTICAL




SOAP, FOAM OR HAND LOTION?

You can choose between disposable bottles or large containers for refillable tanks, regardless of the brand. This allows cost efficient operation of your washrooms in the long term.




CLEAN FILLING



PLUS POINTS

TOUCH **LESS**



ONE HANDED

TOOLS



TOWERING soap dispensers for tabletop bowls

TALL SHAPES



DOWN TOP



EASY MAINTENANCE

The seals and other wear parts can be simply replaced on the tabletop soap dispensers as well.



TWO

PLUS

POINTS





UNDER COVER





38







SENSOR LIQUID SOAP DISPENSER
WP 101e
UNE 500 ml bottle





LIQUID SOAP DISPENSER WP 102 UNE 950 ml bottle






SENSOR LIQUID SOAP DISPENSER
WP 102e
UNE 950 ml bottle

WP 102e-1 LINE 850 ml plug-in

tank



FOAM SOAP DISPENSER WP 103 UNE 400 ml bottle





LIQUID SOAP DISPENSER











LIQUID SOAP DISPENSER WP 208 LINE 950 ml bottle





Accessories for liquid soap dispensers

937201 850 ml plug-in tank

Compatible dispensers see table

923060 3 V power supply unit for sensor soap dispenser



surface



flush
A-Line



((C)) Sensor technology



At a glance	Liquid soap	Liquid soap dispensers / foam soap dispensers / sensor liquid soap dispensers								At a glance Liquid soap dispensers / foam soap dispensers / sensor liquid soap dispense						
	WP 107	WP 101	WP 101-1	WP 102	WP 102-1	WP 101e	WP 102e	WP 102e-1		WP 103	WP 105	WP 106	WP 208e	WP 208	WP 208-5	
Installation type	surface	surface	surface	surface	surface	surface	surface	surface	Installation type	surface	surface	flush	flush	flush	flush	
Contactless						•	•	-	Contactless				•			
Capacity (ml)	200	500	700	950	850	500	950	850	Capacity (ml)	400	1000	1000	950	950	400	
Container	tank	disp. bottle	tank	disp. bottle	plug-in tank	disp. bottle	disp. bottle	plug-in tank	Container	disp. bottle	tank	tank	disp. bottle	disp. bottle	disp. bottle	
Optional plug-in tank						•			Optional plug-in tank				•	•		
Medium	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	soap hand lotion	Medium	foam soap concentrate	soap	soap	soap hand lotion	soap hand lotion	foam soap concentrate	
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	
Fully welded housing	•	•	•	•	•	•	•	•	Fully welded housing	-	•	•	•	-	•	
Cylinder lock	•		•		•				Cylinder lock	•			•	•	•	
Width (mm)	70	70	70	80	80	85	85	85	Width (mm)	80	148	148	148	148	148	
Height (mm)	170	270	270	298	298	257	298	298	Height (mm)	298	148	148	448	448	448	
Depth (mm)	90	110	120	120	120	120	120	120	Depth (mm)	120	120	120	120	120	120	
Weight (kg)	0.8	1.7	1.2	2.4	1.4	2.1	2.8	1.8	Weight (kg)	2.4	2.0	2.0	4.4	4.0	3.4	
Incl. first fill									Incl. first fill	•				•	•	


40

Accessories

3 V power supply unit for

sensor soap dispenser

923060



LIQUID SOAP DISPENSER PP 101 LINE 700 ml tank



LIQUID SOAP DISPENSER PP 102
LINE 1100 ml tank

LIQUID SOAP DISPENSER

L 109
LINE 950 ml bottle



FOAM SOAP DISPENSER PP 103 LINE 400 ml bottle



GLOVE DISPENSER

WP 123



DISINFECTANT DISPENSER WP 120 LINE 500 ml bottle



DISINFECTANT DISPENSER WP 121
LINE 1000 ml bottle

Shown with accessories

Accessories for disinfectant dispenser

WP 120 – stainless steel cover, lockable

WP 121 – stainless steel cover, lockable

WP 120 - drip tray

WP 121 - drip tray

surface



A-Line P-Line





Sensor technology

www.hygiene-shop.nl - info@hygiene-shop.nl

SENSOR LIQUID SOAP DISPENSER

L 109e
INE 500 ml bottle

At a glance	Liquid soap dispen	sers/foam soap dis	pensers			At a glance	sensor liquid soap	dispensers	Glove dispenser	Disinfectant dispe	nsers
	PP 107	PP 17	PP 101	PP 102	PP 103		L 109	L 109e	WP 123	WP 120	WP 121
Installation type	surface	surface	surface	surface	surface	Installation type	surface	surface	surface	surface	surface
Contactless						Contactless		•			
Capacity (ml)	200	200	700	1100	400	Capacity (ml)/unit	950	500	1 box	500	1000
Container	tank	tank	tank	tank	disposable bottle	Container	disposable bottle	disposable bottle		disposable bottle	disposable bottle
Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	soap, hand lotion	foam soap concentrate	Medium	soap, hand lotion	soap, hand lotion	disposable gloves	soap, hand lotion, disinfectant	soap, hand lotion disinfectant
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 304	AISI 304	AISI 304
Fully welded housing						Fully welded housing	•	•			
Cylinder lock	•			•	•	Cylinder lock	•	•		optional	optional
Width (mm)	70	70	80	80	80	Width (mm)	148	148	250	80	92
Height (mm)	172	172	248	298	298	Height (mm)	298	298	138	245	290
Depth (mm)	90	90	120	120	120	Depth (mm)	130	130	88	220	225
Weight (kg)	0.8	0.8	1.0	1.1	2.4	Weight (kg)	2.9	3.3	1.1	1.0	1.2
Incl. first fill					•	Incl. first fill	•	•			











Compatible dispensers see table

850 ml plug-in tank

Accessories for liquid soap dispensers

923060 3 V power supply unit for sensor soap dispenser

AC 425 soap pictogram Adhesive

937201

























www.hygiene-shop.nl - info@hygiene-shop.nl





A-Line

Sensor technology

At a glance	Liquid soap dispen	sers				At a glance	Liquid soap dispen	sers			
	WP 173	WP 173-1	WP 173-5	WP 173e	WP 173e-1		WP 174	WP 174-2	WP 174-5	WP 174e	WP 174e-2
Installation type	cabinet	cabinet	cabinet	cabinet	cabinet	Installation type	behind mirror	behind mirror	behind mirror	behind mirror	behind mirror
Filling	from above	from above	from above	from above	from above	Filling	from below	from below	from below	from below	from below
Contactless				•	•	Contactless				•	•
Capacity (ml)	500/850/950	200	400	500/850/950	200	Capacity (ml)	200	500/850/950	400	200	500/850/950
Container	disposable bottle	tank	disposable bottle	disposable bottle	tank	Container	tank	disposable bottle	disposable bottle	tank	disposable bottle
Optional plug-in tank 850 ml						Optional plug-in tank 850 ml	-	•			•
Medium	soap, hand lotion	soap, hand lotion	foam soap concentr.	soap, hand lotion	soap, hand lotion	Medium	soap, hand lotion	soap, hand lotion	foam soap concentr.	soap, hand lotion	soap, hand lotion
Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L	Stainless steel mat.no.	AISI 316L	AISI 316L	AISI 316L	AISI 316L	AISI 316L
Width (mm)	67	67	67	87	87	Width (mm)	69	91	69	86	86
Height (mm)	247 (221)	150	150	289 (251)	174	Height (mm)	153	301 (263)	230	207	287 (248)
Depth (mm)	97	88	120	130	120	Depth (mm)	104	98	127	148	148
Weight (kg)	2.7	0.7	0.9	1.6	1.0	Weight (kg)	0.5	1.5	1.2	1.2	2.2
Incl. first fill	•		-	•		Incl. first fill		•	•		•



TABLETOP SOAP DISPENSER WP 189-1 chrome-plated brass



TABLETOP SOAP DISPENSER WP 190 chrome-plated brass





TABLETOP SOAP DISPENSER WP 193 LINE chrome-plated

brass



TABLETOP SOAP DISPENSER WP 191-1 LINE chrome-plated

brass



TABLETOP SOAP DISPENSER WP 192-1 LINE chrome-plated



brass



WALL SOAP DISPENSER WP 194
LINE stainless steel

TABLETOP SOAP DISPENSER WP 191-3 LINE stainless steel



TABLETOP SOAP DISPENSER WP 192-3 LINE stainless steel





TABLETOP SOAP DISPENSER WP 195 LINE stainless steel

TABLETOP SOAP DISPENSER WP 195-10 LINE stainless steel

www.hygiene-shop.nl - info@hygiene-shop.nl



At a glance Tabletop soap dispensers, brass, chrome-plated				At a glance	Stainless steel liquid soap dispensers						
	WP 189-1	WP 190	WP 193	WP 191-1	WP 192-1		WP 191-3	WP 192-3	WP 194	WP 195	WP 195-10
Installation type	washbasin	washbasin	washbasin	washbasin	washbasin	Installation type	washbasin	washbasin	panels	washbasin	washbasin
Filling	from above	Filling	from above	from above	centrally	from above	from above				
Capacity (ml)	500	500	500	500	500	Capacity (ml)	500	500	central tank	500	500
Container	bottle	bottle	bottle	bottle	bottle	Container	bottle	bottle	tank	bottle	bottle
Medium	soap	soap	soap	soap	soap	Medium	soap	soap	soap	soap	soap
Material	chrome-plated brass	Material	stainless steel AISI 316	L stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L	stainless steel AISI 316L				
Optional 250 ml / 1000 ml bottle				•		Optional 250 ml / 1000 ml bottle	■	-			
Optional 500 ml stainless steel bottle			•	-		Optional 500 ml stainless steel bottle	■	-			
Lockable						Lockable					
Width (mm)	32	40	45	38	38	Width (mm)	38	38	38	30	30
Height (mm)	111	63	82	62	208	Height (mm)	62	208	38	125	274
Depth (mm)	103	130	153	109	149	Depth (mm)	109	149	124	105	105
Projection (mm)	87	90	130	90	130	Projection (mm)	90	130	90	90	90
Weight (kg)	1.0	0.6	1.2	0.7	1.6	Weight (kg)	0.7	1.6	0.9	0.9	1.4



HAND DRYING

_ MOUNTING TYPES	P. 48
_ GOOD TO KNOW	P. 50
_ WALL MOUNTING	
A-LINE, L-LINE	P. 52
P-LINE	P. 53
_ CABINET MOUNTING	
MOUNTING BEHIND MIRRORS	P. 54
_ WALL MOUNTING	
TISSUE DISPENSER, TOWEL RAIL	P. 54
_ UNDER-COUNTER MOUNTING	P. 55
_ WALL MOUNTING	
hot air hand dryer	P. 56
ELECTR. PAPER ROLL DISPENSERS	P. 56

THE WALL









INSTAL-LATION









PANEL RETAINERS open the front panel only wide enough to allow refilling, or fully if required.

FALL PROTECTION

SIZE MATTERS

YOUR CHOICE

of paper. No specific brand is required for refilling. Only the folded paper size has to match.



ON AND ON HYGIENE ECONOMICAL





MODULAR DESIGN
All electrical/mechanical and electronic components of the units are installed in such a way that they can be quickly and easily repaired by replacing them.



EASYSERVICE



SAFELY STORED



PAPER TOWEL DISPENSER WP 113
UNE approx. 500
paper towels



PAPER TOWEL DISPENSER WP 111
UNE approx. 750
paper towels



PAPER TOWEL DISPENSER WP 114
UNE approx. 250
paper towels



PAPER TOWEL DISPENSER WP 112
LINE approx. 500
paper towels



PAPER TOWEL DISPENSER PP 108
UNE approx. 250
paper towels



DISPENSER PP 113
UNE approx. 500
paper towels



PAPER TOWEL DISPENSER PP 115
UNE approx. 500
paper towels



PAPER TOWEL DISPENSER PP 111
UNE approx. 750
paper towels




PAPER TOWEL DISPENSER L 113
UNE approx. 500
paper towels



PAPER TOWEL DISPENSER L 111 UNE approx. 750 paper towels



PAPER TOWEL DISPENSER PP 13 LINE open, approx. 500 paper towels



www.hygiene-shop.nl - info@hygiene-shop.nl









P-Line

L-Line

At a glance	Paper towel disp	pensers					At a glance	Paper towel dis	pensers			
	WP 113	WP 111	WP 114	WP 112	L 113	L 111		PP 108	PP 113	PP 115	PP 111	PP 13
Installation type	surface	surface	flush	flush	surface	surface	Installation type	surface	surface	surface	surface	surface
Fill quantity approx. (sheets)	500	750	250	500	500	750	Fill quantity approx. (sheets)	250	500	500 (narrow)	750	500
Folded paper size, approx., folding	25 x 11.5 cm, V/Z	Folded paper size, approx., folding	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	22 x 8.5 cm, V/Z/W	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z					
Deep-drawn paper dispensing	•	-	-	•	•	•	Deep-drawn paper dispensing					
Stainless steel mat.no.	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304					
Cylinder lock	•	-	-	•	•	•	Cylinder lock	•	•	•	•	
Width (mm)	298	298	298	298	298	298	Width (mm)	265	265	230	265	298
Height (mm)	298	448	298	448	298	448	Height (mm)	172	298	298	448	298
Depth (mm)	120	120	120	120	130	130	Depth (mm)	120	120	90	120	120
Weight (kg)	3.2	4.4	3.7	4.8	3.4	4.2	Weight (kg)	2.0	2.3	2.3	3.2	3.3
Incl. first fill	•	-	-	•	•	•	Incl. first fill					



PAPER TOWEL DISPENSER







AC 426 **paper pictogram** Adhesive





PAPER TOWEL DISPENSER



WP 176
LINE approx. 500
paper towels



TISSUE DISPENSER



WP 118
INE 1 Kleenex® box



TOWEL RAIL

AC 230 LINE width 300 mm



AC 231 LINE width 450 mm



AC 232 LINE width 600 mm



PAPER TOWEL DISPENSER



WP 165
LINE approx. 250
paper towels



PAPER TOWEL DISPENSER



WP 166
approx. 250
paper towels



PAPER TOWEL DISPENSER



WP 170
UNE approx. 500
paper towels



PAPER TOWEL DISPENSER



WP 117
UNE approx. 250
paper towels



surface

cabinet/mirror



under-counter



A-Line

www.hygiene-shop.nl - info@hygiene-shop.	n

At a glance	Paper towel di	spensers	Tissue dis- penser	Towel rails			At a glance	Paper towel dis	pensers		
	WP 175	WP 176	WP 118	AC 230	AC 231	AC 232		WP 165	WP 166	WP 170	WP 117
Installation type	cabinet	behind mirror	surface	surface	surface	surface	Installation type	washbasin front	washbasin front	washbasin front	washbasin top
Filling	from above	from below	folding panel				Filling	from front (flap)	from front (flap)	from front (drawer)	from above
Fill quantity approx. (sheets)	500	500	1 Kleenex® box				Fill quantity approx. (sheets)	250	250	500	250
Folded paper size approx./folding	25 x 23 cm, V/Z	25 x 23 cm, V/Z					Folded paper size approx./ folding	25×23 cm, C/V/Z	25 x 23 cm, C/V/Z	25×23 cm, C/V/Z	25×23 cm, C/V/Z
Deep-drawn paper dispensing		-					Deep-drawn paper dispensing	•	•	•	
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 303	AISI 303	AISI 303	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304
Fully welded housing		-					Fully welded housing	•	-	•	
Cylinder lock							Cylinder lock	•	•	•	
Width (mm)	298	298	269	300	450	600	Width (mm)	326	298	298	200
Height (mm)	298	360	122.5	58	58	58	Height (mm)	173	148	148	300
Depth (mm)	121	120	76	40	40	40	Depth (mm)	164	164	310	185
Weight (kg)	2.4	4.4	1.5	0.5	0.6	0.8	Weight (kg)	3.4	3.1	5.6	3.9
Incl. first fill	•	•					Incl. first fill	•	•	•	•













ELECTRONIC TOUCH-FREE PAPER ROLL DISPENSER







WP 1301 (()§ battery powered









ELECTRONIC TOUCH-FREE PAPER ROLL DISPENSER WITH RESERVE ROLL WP 1400 transformer powered





WP 1401 (((§





WP 1410 ((C)) transformer powered

www.hygiene-shop.nl - info@hygiene-shop.nl



WP 1411
UNE battery powered



surface flush






Sensor technology

At a glance	Hot air hand o	dryers
	WP 1100	WP 1200
Installation type	surface	flush
Contactless	•	•
Connected load	2000 W	2000 W
SEV	•	•
Drying time	<30 s	<30 s
Relat. noise output	low	low
Stainless steel mat.no.	AISI 304	AISI 304
Fully welded housing	-	-
Width (mm)	298	298
Height (mm)	396	396
Depth (mm)	150	150
Weight (kg)	7.2	7.2

At a glance	Electronic tou	ch-free paper ı	roll dispenser		At a glance	Electronic touch-free paper roll dispenser					
	WP 1300	WP 1301	WP 1310	WP 1311		WP 1400	WP 1401	WP 1410	WP 1411		
Installation type	surface	surface	flush	flush	Installation type	surface	surface	flush	flush		
Contactless				•	Contactless						
Connection	230 V / 50 Hz	4x1.5 V batteries	230 V / 50 Hz	4 x 1.5 V batteries	Connection	230 V / 50 Hz	4x1.5 V batteries	230 V / 50 Hz	4x1.5 V batteries		
TÜV/GS					TÜV/GS						
Fill level	1 roll Ø180 x 215mm	Fill level	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm					
Reserve roll					Reserve roll	•					
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304		
Fully welded housing	-	-	-	•	Fully welded housing	-	-	-	•		
Cylinder lock				•	Cylinder lock						
Width (mm)	350	350	350	350	Width (mm)	350	350	350	350		
Height (mm)	448	448	448	448	Height (mm)	580	580	580	580		
Depth (mm)	210	210	210	210	Depth (mm)	210	210	210	210		
Weight (kg)	10.3	10.3	10.3	10.3	Weight (kg)	12.4	12.4	12.4	12.4		
Incl. first fill			•	•	Incl. first fill	•	•	-	-		



COLLECTING WASTE

_ MOUNTING TYPES	P. 60
_ GOOD TO KNOW	P. 62
_ WALL MOUNTING, TOP OPEN	
A-LINE, P-LINE	P. 64
L-LINE	P. 65
WALL MOUNTING	
FREE STANDING ON FLOOR, CLOSED	
A-LINE	P. 66
_ UNDER-COUNTER MOUNTING	
A-LINE, L-LINE	P. 67
WALL MOUNTING	
FREE STANDING ON FLOOR	
WASTE BINS A-LINE, P-LINE	P. 68
_ UNDER-COUNTER MOUNTING, FLAPS AND	RINGS

FRONT OPERATION

TOP OPERATION

P. 70

P. 71






















FABRIC STANDBAGS made of tearproof, washable, fibre-reinforced material. Easy to empty by removing the bag – no bin bags required.

WASTE BINS are suitable for wall mounting, floor placement

are suitable for wall mounting, floor placement or integration into washbasins. Fixing is invisible thanks to eyelets in the second grid row. Available in stainless steel, chrome-plated or plastic-coated.



MULTIFUNCTIONAL

BAG

LESS

PLUS POINTS

CONCEALED



PURPOSE

surface

A-Line

P-Line

L-Line



WASTE BIN

PP 126
UNE 23 litres



WASTE BIN

P PP 182
UNE 45 litres

WASTE BIN

PP 152
LINE 34 litres



WP 147 LINE 32 litres





At a glance	Waste bins, o	Waste bins, open top							Waste bins, open top				
	WP 126	WP 152	WP 183	PP 126	PP 152	PP 182	WP 147		L 186	L 184	L 133	L 187	L 185
Installation type	surface	surface	surface/floor	surface	surface	surface/floor	flush	Installation type	surface	surface/floor	surface	surface	surface/floor
Capacity (litres)	23	34	60	23	34	45	32	Capacity (litres)	24	32	12	24	32
Features	Fabric standbag	Fabric standbag	Fabric standbag	Fabric standbag	Fabric standbag	Fabric standbag	Waste basket	Features			Waste bin		
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Perforated front								Perforated front	•	•			
Cylinder lock								Cylinder lock			•		
Width (mm)	298	298	400	298	298	298	298	Width (mm)	298	298	298	298	298
Height (mm)	448	598	600	448	598	598	898	Height (mm)	448	598	598	448	598
Depth (mm)	170	190	250	170	190	250	220	Depth (mm)	180	180	140	180	180
Weight (kg)	3.8	5.6	7.4	3,0	3.4	3.6	11,5	Weight (kg)	3.8	4.7	5.4	3.8	4.7

66

















WP 180 LINE 36 litres

WP 139
LINE 18 litres

WP 188
UNE 40 litres

WP 198
LINE 43 litres



WASTE BIN WP 134
LINE 11 litres



WASTE BIN

WP 133
LINE 12 litres


















surface

flush

washbasin

www.hygiene-shop.nl - info@hygiene-shop.nl

At a glance	Waste bins with de	posit flap				At a glance	Waste bins for washbasin mounting					
	WP 181	WP 180	WP 134	WP 133	WP 131		WP 139	WP 188	WP 198	L 188	L 190	
Installation type	surface/floor	surface/floor	flush	surface	surface	Installation type	washbasin	washbasin	washbasin	washbasin	washbasin	
Capacity (litres)	36	36	11	12	16	Capacity (litres)	18	40	43	35	43	
Fire-retardant deposit flap		top	front	front	front	Fire-retardant deposit flap	front					
Waste bin	•	•	•	•	•	Waste bin	•		•		•	
Plastic hygiene bin			opt. WP 34	opt. WP 33		Plastic hygiene bin						
Cylinder lock	•	•	•	•	•	Cylinder lock	•		•		•	
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	
Fully welded housing	•	•	•	•	•	Fully welded housing	•	•	•	•	•	
Perforated front						Perforated front				•	•	
Width (mm)	298	298	298	298	448	Width (mm)	298	298	298	298	298	
Height (mm)	598	598	598	598	598	Height (mm)	448	448	450	448	450	
Depth (mm)	308	308	120	140	120	Depth (mm)	310	300	510	297	510	
Weight (kg)	9.6	9.6	5.7	5.7	7.9	Weight (kg)	7.1	7.5	8.0	5.8	8.0	



WASTE BASKET

WP 151
LINE 48 litres
chrome-plated

WP 151-1 LINE 48 litres stainless steel

WP 151-2 WP 151-LINE 48 litres plastic coated

WASTE BASKET




WP 150
LINE 72 litres
chrome-plated



WP 150-1 LINE 72 litres stainless steel




WP 150-2 WP 150 LINE 72 litres plastic coated



WASTE BASKET




WP 201 LINE 35 litres chrome-plated



WASTE BASKET



WP 197
UNE 44 litres chrome-plated



WASTE BASKET



WP 196
UNE 52.5 litres chrome-plated



WASTE BASKET



P PP 151 LINE 60 litres stainless steel



surface



washbasin



A-Line



P-Line

vww.hygiene-shop.nl	info@hygiene-shop.nl


At a glance	Waste bins					At a glance	Waste bins				
	WP 151	WP 151-1	WP 151-2	WP 150	WP 150-1	WP 150-2		WP 201	WP 197	WP 196	PP 151
Installation type	surface/floor	surface/floor	surface/floor	surface/floor	surface/floor	surface/floor	Installation type	surface/ under-counter	surface/ under-counter	surface/ under-counter	surface/floor
Capacity (litres)	48	48	48	72	72	72	Capacity (litres)	35	44	52.5	60
Surface	chrome-plated	stainless steel	plastic coated	chrome-plated	stainless steel	plastic coated	Surface	chrome-plated	chrome-plated	chrome-plated	stainless steel
Wall fixing eyelet in 2nd grid row	-	•	-	•	•	•	Wall fixing eyelet in 2nd grid row	-	•	•	•
Width (mm)	400	400	400	400	400	400	Width (mm)	350	350	350	400
Height (mm)	600	600	600	600	600	600	Height (mm)	400	500	600	600
Depth (mm)	200	200	200	300	300	300	Depth (mm)	250	250	250	250
Weight (kg)	1.1	1.1	1.1	1.3	1.3	1.3	Weight (kg)	0.9	0.9	1.1	2.9



SWING FLAP WITH INSTALLATION FRAME WP 135



SWING FLAP WITH INSTALLATION FRAME WP 136



WASTE DEPOSIT FLAP SELF-CLOSING WP 158-1



WASTE DEPOSIT FLAP SELF-CLOSING WP 154



WASTE DEPOSIT FLAP SELF-CLOSING WP 154-1



WASTE DISPOSAL FRAME





WASTE DISPOSAL RING





WASTE DISPOSAL FRAME





WASTE DISPOSAL RING



www.hygiene-shop.nl - info@hygiene-shop.nl



washbasin

A-Line

At a glance	Waste deposits										
	WP 135	WP 136	WP 146-1	WP 159-1	WP 158-1	WP 154	WP 154-1	WP 145	WP 159		
Installation type	washbasin front	washbasin front	washbasin front	washbasin front	washbasin top						
Self-closing	•	•			•	•	•				
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304		
Width (mm)/diameter	298	326	298	Ø 150	170	170	300	170	Ø 150		
Height (mm)	148	173	148		170	235	235	170			
Depth (mm)	32	32	20	20	30	30	30	100	100		
Weight (kg)	0.8	0.8	0.5	0.2	0.9	0.9	1.5	0.7	0.4		



COMBI-NATIONS

_ MOUNTING TYPES	P. <i>7</i> 4
_ GOOD TO KNOW	P. <i>7</i> 6
_ WALL MOUNTING	
(SOAP, PAPER, WASTE)	P. 78
WASHBASIN MOUNTING	
(PAPER, WASTE)	P. 82
_ WALL MOUNTING (PAPER, WASTE)	P. 83
_ WALL MOUNTING (SOAP, PAPER)	
MIRROR CABINETS AND MIRRORS	P. 86







INSTAL-LATION







_{7/}|

SPACE-

PLUS POINTS





RETAIN VALUES





COMBINATION

soap dispenser

soap dispenser

78

Incl. first fill

COMBINATION

WP 500
LINE soap dispenser

WP 500-5 foam soap dispenser

WP 510
LINE soap dispenser

www.hygiene-shop.nl - info@hygiene-shop.nl

WP 510-5 foam soap dispenser



Accessories

WP 34 plastic hygiene bin

937201 850 ml plug-in tank

Compatible dispensers see table

923060 3 V power supply unit for sensor soap dispenser

surface

flush

A-Line

Sensor technology

At a glance	Combinations (soap, paper, waste)								
	WP 500e	WP 510e	WP 500	WP 500-5	WP 510	WP 510-5			
Installation type	flush	surface	flush	flush	surface	surface			
Contactless soap dispenser									
Capacity (ml)	950	950	950	400	950	400			
Container	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle			
Optional plug-in tank 850 ml	•		•		=				
Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	foam soap concentrate	soap, hand lotion	foam soap concentrate			
Fill quantity paper towels approx. (sheets)	250	250	250	250	250	250			
Folded paper size, approx., folding	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z	25 x 11.5 cm, V/Z			
Capacity of waste basket (litres)	11	11	11	11	11	11			
Optional plastic sanitary bin			•		-	•			
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304			
Cylinder lock	•		•		-	•			
Width (mm)	298	298	298	298	298	298			
Height (mm)	1348	1348	1348	1348	1348	1348			
Depth (mm)	120	120	120	120	120	120			
Weight (kg)	15.8	15.8	15.4	14.9	15.4	14.9			
		I and the second							





WP 5410

MP 5710

80



COMBINATION

WP 5425

WP 5420

COMBINATION

WP 5725

WP 5720

www.hygiene-shop.nl - info@hygiene-shop.nl



At a glance	Combinations (soap, p	paper, waste)			At a glance	Combinations (soap, paper, waste)				
	WP 5415	WP 5410	WP 5715	WP 5710		WP 5425	WP 5420	WP 5725	WP 5720	
Installation type	surface	flush	surface	flush	Installation type	surface	flush	surface	flush	
Capacity (ml)	950	950	950	950	Capacity (ml)	950	950	950	950	
Container	disposable bottle	disposable bottle	disposable bottle	disposable bottle	Container	disposable bottle	disposable bottle	disposable bottle	disposable bottle	
Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	soap, hand lotion	Medium	soap, hand lotion	soap, hand lotion	soap, hand lotion	soap, hand lotion	
Fill quantity paper towels approx. (sheets)	500	500	750	750	Fill quantity paper towels approx. (sheets)	500	500	750	750	
Folded paper size, approx., folding	25 x 23 cm, V/Z	25 x 23 cm, V/Z	25 x 23 cm, V/Z	25 x 23 cm, V/Z	Folded paper size, approx., folding	25×23 cm, V/Z	25x23 cm, V/Z	25×23 cm, V/Z	25 x 23 cm, V/Z	
Capacity of waste basket (litres)	48	48	72	72	Capacity of waste basket (litres)	48	48	72	72	
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	
Cylinder lock	•	•	•		Cylinder lock	•	•	•		
Width (mm)	448	448	448	448	Width (mm)	448	448	448	448	
Height (mm)	1198	1198	1348	1348	Height (mm)	1198	1198	1348	1348	
Depth (mm)	220	220	320	320	Depth (mm)	220	220	320	320	
Weight (kg)	20.6	20.6	26.7	26.7	Weight (kg)	21.6	21.6	30.4	30.4	
Incl. first fill	-	-	•		Incl. first fill			•		



At a glance	Combinations (paper, waste)					
	WP 511	WP 520				
Installation type	washbasin/surface	washbasin				
Fill quantity paper towels approx. (sheets)	250	500				
Folded paper size, approx., folding	25 x 23 cm, C/V/Z	25 x 23 cm, C/V/Z				
Capacity of waste basket (litres)	11	18				
Fire-retardant deposit flap		•				
Stainless steel mat.no.	AISI 304	AISI 304				
Cylinder lock		•				
Width (mm)	298	298				
Height (mm)	645	596				
Depth (mm)	164	310				
Weight (kg)	8.5	11.9				
Incl. first fill		•				

At a glance	Combinations (paper roll, waste)								
	WP 5455	WP 5456	WP 5450	WP 5451					
Installation type	surface	surface	flush	flush					
Contactless paper roll dispenser	-	-	-						
Connection	230 V / 50 Hz	4x1.5 V batteries	230 V / 50 Hz	4x1.5 V batteries					
Fill level	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm	1 roll Ø180 x 215mm					
TÜV/GS									
Changeable function module	•	•		•					
Waste basket, capacity (litres)	48	48	48	48					
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304					
Cylinder lock		•							
Width (mm)	448	448	448	448					
Height (mm)	1348	1348	1348	1348					
Depth (mm)	220	220	220	220					
Weight (kg)	25.8	25.8	25.8	25.8					
Incl. first fill	•								



A-Line

 $www.hygiene\text{-}shop.nl \quad \text{-} \quad info@\,hygiene\text{-}shop.nl$

At a glance	Combinations (paper, waste)												
	WP 5015	WP 5010	WP 5125	WP 5120	WP 5115	WP 5110	WP 501	WP 535	WP 530	WP 545	WP 540	WP 610	WP 612
Installation type	surface	flush	surface	flush	surface	flush	flush	surface	flush	surface	flush	flush	flush
Flush installation												•	
Fill quantity paper towels approx. (sheets)	250	250	500	500	500	500	250	250	250	500	500	750	250
Folded paper size, approx., folding	25 x 23 cm, V/Z	25 x 23 cm, V/Z	25 x 23 cm, V/Z	25 x 23 cm, V/Z	25 x 23 cm, V/Z	25 x 23 cm, V/Z	25 x 23 cm, C/V/Z	25 x 23 cm, V/Z					
Capacity of waste basket (litres)	32	32	32	32	32	32	11	11	11	11	11	13	7
Fire-retardant deposit flap							•	-	•	•	•		
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock	•	•	•	•	•		•	•	•	•	•	•	
Width (mm)	298	298	298	298	298	298	298	298	298	298	298	298	298
Height (mm)	1048	1048	1198	1198	1198	1198	645	898	898	1048	1048	1198	748
Depth (mm)	220	220	220	220	220	220	164	120	120	120	120	140	140
Weight (kg)	13.4	13.4	14.7	14.7	14.4	14.4	8.5	9.3	9.3	10.6	10.6	18.2	11.7
Incl. first fill		-	-	-	-	-	-	-	-	-	-	-	-





COMBINATION



WP 550
LINE soap dispenser

WP 550e
LINE sensor soap dispenser

WP 550-5 WP 550-5
LINE foam soap dispenser



MIRROR CUPBOARD

WP 600
LINE soap dispenser



LINE sensor soap dispenser



WP 600-5 WP 600-5
LINE foam soap dispenser



MIRROR CUPBOARD

WP 650
UNE soap dispenser



WP 650e
UNE sensor soap dispenser



WP 650-5
UNE foam soap dispenser



STAINLESS STEEL MIRROR

WP 601 - WP 604



surface



Accessories

850 ml plug-in tank

Compatible dispensers see table

3 V power supply unit for sensor soap dispenser

lighting set for WP 600

lighting set for WP 650

937201

923060

727853

727893



A-Line



Sensor technology

At a glance	Combination	ıs (soap, pap	er)		Mirror cupboards with integrated soap and paper dispenser						
	WP 506	WP 550	WP 550e	WP 550-5	WP 600	WP 600e	WP 600-5	WP 650	WP 650e	WP 650-5	
Installation type	flush	surface	surface	surface	surface	surface	surface	surface	surface	surface	
Contactless soap dispenser			•			•			•		
Capacity of soap dispenser (ml)	1000	500	500	400	950	950	400	950	950	400	
Container	tank	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle	disposable bottle	
Optional plug-in tank 850 ml					•						
Medium	soap hand lotion	soap hand lotion	soap hand lotion	foam soap concentrate	soap hand lotion	soap hand lotion	foam soap concentrate	soap hand lotion	soap hand lotion	foam soap concentrate	
Fill quantity paper towels approx. (sheets)	250	500	500	500	500	500	500	750	750	750	
Folded paper size approx./ folding	25 x 23 cm, C/V/Z	25×23 cm, V/Z	25×23 cm, V/Z	25×23 cm, V/Z	25 x 23 cm, V/Z	25 x 23 cm, V/Z	25×23 cm, V/Z	25×23 cm, V/Z	25 x 23 cm, V/Z	25 x 23 cm, V/Z	
Optional lighting kit					•	•		•			
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	
Cylinder lock		•			•			•			
Width (mm)	448	400	400	400	450	450	450	600	600	600	
Height (mm)	148	298	298	298	450	450	450	600	600	600	
Depth (mm)	164	120	120	120	130	130	130	130	130	130	
Weight (kg)	4.3	4.4	4.8	3.9	11.5	11.9	11.0	19.4	19.8	18.9	
Incl. first fill	paper only	-	-	-	•	•	•		-	-	

At a glance	Stainless steel mirrors*									
	WP 601	WP 602	WP 603	WP 604						
Installation type	surface	surface	surface	surface						
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304						
Width (mm)	600	600	800	700						
Height (mm)	600	400	400	500						
Weight (kg)	2.9	2.0	2.7	2.8						

^{*} Other dimensions available on request.

 $www.hygiene\text{-}shop.nl \quad \text{-} \quad info@\,hygiene\text{-}shop.nl$



TAPS

_ MATERIAL: STAINLESS STEEL AISI 303


- _ VARIANTS
 SHORT/LONG LEVER
 LOW/HIGH VERSION
 NORMAL PRESSURE/LOW PRESSURE
- _ HIGH QUALITY COMPONENTS

 KERAMITAL® CARTRIDGE, NEOPERL® AERATOR





At a glance	Stainless steel taps								Siphon cover
	WA 100	WA 200	WA 100-1	WA 200-1	WA 110	WA 210	WA 110-1	WA 210-1	WP 199
Version	normal pressure	low pressure	normal pressure	low pressure	normal pressure	low pressure	normal pressure	low pressure	
Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 304
Outlet height (mm)	84	84	84	84	198	198	198	198	
Projection outlet (mm)	120	120	120	120	120	120	120	120	
Length of lever (mm)	40	40	140	140	40	40	140	140	
Ceramic mixer cartridge	•	-	•	•	-	•	•	•	
Adjustable temperature limiter	•	-	•	•	•	•	•	•	
Neoperl® aerator			•	•	•		•	-	
Width (mm)/diameter	45	45	45	45	45	45	45	45	Ø 121
Height (mm)	170	170	185	185	283	283	283	283	268
Depth (mm)	155	155	155	155	155	155	185	185	
Weight (kg)	1.6	1.9	1.6	1.9	1.7	2.0	1.7	2.0	



INDIVIDUAL CUSTOMISED

SPECIAL DESIGNS

We can do other things, too! To supplement our standard range, we offer special customer solutions: product adaptations as well as completely new designs from one source and within a short time; from sketch to finished product – thanks to in-house design and production in Reutlingen.

|94|



SAIN

GLOSSY COLOURFUL

ALTERNATIVE SURFACES

Our products have a so-called Duplo coating as a standard: they are satin finished and additionally brushed – the best possible process for an easy care, hygienic surface. Alternatively, we can also supply many products with a highly polished (mirror shine) surface or with powder coating in almost any RAL colour (4 digit code). Whatever you require to match your interior design or your wishes.





TOILET FITTINGS AND ACCESSORIES

_ GOOD TO KNOW

HOLDERS AND BRUSHES P. 98
HYGIENE AND BABY P. 100

_ TOILET PAPER HOLDERS/DISPENSERS
CLOSED VERSION

LARGE ROLL DISPENSER,

WET WIPE DISPENSER P. 102

_ TOILET PAPER HOLDERS
OPEN VERSION
RESERVE ROLL HOLDER

ERVE ROLL HOLDER P. 104

BRUSH SETS P. 105

HOOKS, STOPPERS & CO. P. 106

FEMALE HYGIENE

SANITARY BAG DISPENSER P. 108 HYGIENE WASTE BIN P. 108

_ NAPPY CHANGERS P. 110

P. 112

റം

HIDDEN



CONCEALED RESERVE ROLL


reduces service work, remains hygienically concealed and drops down automatically when the other roll is finished. The empty cardboard roll remains in the unit (WP 164/167).

ONDISPLAY



FREE TO MOVE





STORED

HOLDERS AND BRUSHES

STEAD

FAST

TOILET BRUSH SET

The brush virtually floats in the stainless steel holder which is also easy to clean.



DUALUSE




SIGHT OUT OF



BOTTOM



GENTLE NATURE





GUARDIAN ANGEL

HYGIENE AND BABY

SQUEAKY

SURFACE
made of polypropylene, molded. It never feels cold, is free from harmful substances and can be disinfected.









TOILET ROLL HOLDER

TOILET ROLL HOLDER

TOILET ROLL HOLDER WP 157



LARGE ROLL HOLDER



WP 163 LINE 1 large roll



TOILET ROLL HOLDER FOR 4 ROLLS



WP 163-5
LINE +3 reserve rolls



TOILET ROLL HOLDER



WP 164
UNE +1 reserve roll





TOILET PAPER SINGLE SHEET DISPENSER





WET WIPE DISPENSER



www.hygiene-shop.nl - info@hygiene-shop.nl

Accessories

923290 conversion kit from WP 163 to WP 163-S For WP 163

923290 conversion kit from WP 163-S to WP 163 For WP 163-S



surface



flush

A-Line

At a glance	Toilet roll holder	s, closed design				At a glance	Toilet roll holders, closed design		
	WP 148	WP 149	WP 157	WP 164	WP 167		WP 163	WP 163-S	WP 169
Installation type	surface	surface	flush	surface	flush	Installation type	surface	surface	surface
No. of toilet rolls	1	2	1	1	1	No. of toilet rolls	1 large roll Ø280mm	1	500 single sheets
No. of reserve rolls				1	1	No. of reserve rolls		3	
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304
Cylinder lock	•	•		-	•	Cylinder lock	•	•	•
Width (mm)	140	240	163	148	148	Width (mm)	353	353	120
Height (mm)	110	110	170	348	348	Height (mm)	350	350	298
Depth (mm)	90	90	100	150	150	Depth (mm)	120	120	120
Weight (kg)	0.7	0.9	1.1	3.2	3.2	Weight (kg)	4.8	6.1	2.5

At a glance	Wet wipe dispenser
	WP 119
Installation type	surface
Filling	1 wet wipe box
Box dimensions (mm)	165 x 78 x 121
Stainless steel mat.no.	AISI 304
Cylinder lock	
Width (mm)	172
Height (mm)	79
Depth (mm)	130
Weight (kg)	1.3



HOLDER AC 222 LINE 1 roll HOLDER PC 222 LINE 1 roll

HOLDER

AC 225-2 LINE 2 rolls

HOLDER

AC 225-3 LINE 3 rolls

TOILET ROLL
STORAGE CONTAINER
WP 168
UNE 5 reserve rolls

www.hygiene-shop.nl - info@hygiene-shop.nl

A-Line

P-Line

At a glance	a glance Toilet roll holders, open design					Reserve toilet roll holder			
	AC 220	AC 250	AC 252	PC 250	AC 222	PC 222	AC 225-2	AC 225-3	WP 168
Installation type	surface	surface	surface	surface	surface	surface	surface	surface	surface
No. of toilet rolls	1	1	2	1					
No. of reserve rolls					1	1	2	3	5 (4 concealed)
Bar diameter (mm)	12	12	12	8	12	8	12	12	
Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 304
Concealed fixing		•	•					=	
Width (mm)/diameter	150	135	260	144	Ø 40	Ø 45	45	45	120
Height (mm)	92	110	110	107			233	333	680
Depth (mm)	40	66	66	36	80	80	110	110	130
Weight (kg)	0.4	0.4	0.8	0.3	0.2	0.2	0.7	0.8	2.6

At a glance	Brush sets				
	WP 161	WP 162	AC 261	AC 221	PC 261
Installation type	flush	surface	surface	surface	surface
Closed design		•			
Brush holder	stainless steel	stainless steel	stainless steel	stainless steel	plastic
Stainless steel mat.no.	AISI 304	AISI 304	AISI 303	AISI 303	AISI 304
Concealed fixing	•				(■)
Width (mm)	148	148	97	97	110
Height (mm)	448	448	380	430	410
Depth (mm)	120	120	129	129	115
Weight (kg)	3.5	3.5	1.4	1.4	1.4



WALL HOOK





SINGLE HOOK





DOUBLE HOOK





SINGLE HOOK





FLOOR DOOR STOP







FLOOR DOOR STOP







WALL-MOUNTED DOOR BUFFER AC 219



WALL-MOUNTED DOOR BUFFER WITH HOOK DOOR BUFFER AC 217

AC 217

AC 218





SOAP SHELL





ASHTRAY

www.hygiene-shop.nl - info@hygiene-shop.nl





surface



A-Line



P-Line

At a glance	Wall hooks				Wall-mounte	d door buffer		At a glance	Floor door sto	pps
	AC 214	AC 215	AC 216	PC 215	AC 219	AC 217	AC 218		AC 228	AC 227
Installation type	surface	surface	surface	surface	surface	surface	surface	Installation type	surface	surface
Stainless steel mat.no.	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	AISI 303	Stainless steel mat.no.	AISI 303	AISI 303
Concealed fixing					•			Concealed fixing		
Diameter	Ø 16	Ø 45	Ø 45	Ø 45	Ø 16	Ø 45	Ø 45	Diameter	Ø 40	Ø 40
Depth (mm)	22	36	45	36	26	76	110	Depth (mm)	26	40
Weight (kg)	0.1	0.2	0.2	0.1	0.1	0.2	0.3	Weight (kg)	0.2	0.2

Soap shell	Ashtray
AC 270	AC 211
surface	surface
AISI 303	AISI 303
•	•
125	125
89	89
45	45
0.6	0.6
	AC 270 surface AISI 303 125 89 45









HYGIENE WASTE BIN WP 137



HYGIENE WASTE BIN WP 138



HYGIENE WASTE BIN WP 177




HYGIENE WASTE BIN WP 177-1 With insertion

sluice



HYGIENE WASTE BIN WP 177-2



SANITARY BAG DISPENSER WP 156



SANITARY BAG DISPENSER WP 156-1



SANITARY BAG DISPENSER WP 256



HYGIENE WASTE BIN WP 179



HYGIENE WASTE BIN WP 179-1 LINE With insertion



HYGIENE WASTE BIN WP 179-2

www.hygiene-shop.nl - info@hygiene-shop.nl

_	Sorrace
	flush
	110311

At a glance	Sanitary bag di	spensers, sanitar	y bag storage co	ntainers	Sanitary bins At a glance Sc			Sanitary bins					
	WP 155	WP 156	WP 156-1	WP 256	WP 137	WP 138		WP 177	WP 177-1	WP 177-2	WP 179	WP 179-1	WP 179-2
Installation type	surface	surface	surface	flush	surface	flush	Installation type	surface	surface	surface	surface	surface	surface
Filling	paper sanitary bags	1 box plastic sanitary bags	1 box plastic sanitary bags	1 box plastic sanitary bags	paper sanitary bags	paper sanitary bags	Filling	1 box plastic sanitary bags	1 box plastic sanitary bags	1 box plastic sanitary bags			
Capacity of waste basket (litres)					5	5	Capacity of waste basket (litres)	5	5	12	5	5	12
With insertion sluice							With insertion sluice		•			•	
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Cylinder lock					•		Cylinder lock						
Width (mm)	298	100	100	148	298	298	Width (mm)	220	220	300	200	200	300
Height (mm)	148	130	170	148	448	598	Height (mm)	250	344	398	250	344	398
Depth (mm)	100	25	25	50	120	120	Depth (mm)	115	115	155	115	115	155
Weight (kg)	1.3	0.6	0.6	0.8	5.9	5.9	Weight (kg)	2.8	3.9	5.7	2.5	3.6	5.5
Incl. first fill							Incl. first fill						



At a glance	Nappy changers	
	WP 2015	WP 2010
Installation type	surface	flush
Version	horizontal	horizontal
Molded resting surface		
TÜV tested		
Tested load (kg)	160	160
Load capacity (kg)	15	15
Stainless steel mat.no.	AISI 304	AISI 304
Width (mm)	910	900
Height (mm)	576	566
Depth (mm)	135	135
Weight (kg)	25.2	25.2

At a glance	Nappy changers	Nappy changers							
	WP 2115	WP 2110							
Type of installation	surface	flush							
Version	vertical	vertical							
Molded resting surface	-	•							
TÜV tested	•								
Tested load (kg)	160	160							
Load capacity (kg)	15	15							
Stainless steel mat.no.	AISI 304	AISI 304							
Width (mm)	540	530							
Height (mm)	946	936							
Depth (mm)	135	135							
Weight (kg)	26.7	26.7							



MAN PICTOGRAM







WC PICTOGRAM

AC 404
LINE Adhesive

AC 405
LINE Screw fixing



WOMAN **PICTOGRAM**

AC 410
LINE Adhesive

AC 411
LINE Screw fixing



SMOKING PICTOGRAM

AC 450
LINE Adhesive

AC 451
LINE Screw fixing



FIRST AID PICTOGRAM

AC 460 LINE Adhesive

AC 461
LINE Screw fixing



CLOAKROOM **PICTOGRAM**

AC 470
LINE Adhesive

AC 471
LINE Screw fixing



CHILD **PICTOGRAM**







BABY CHANGING ROOM HANDICAPPED





AC 423
LINE Screw fixing



PICTOGRAM

AC 430
LINE Adhesive

AC 431
LINE Screw fixing



NON-SMOKING



AC 441
LINE Screw fixing



KITCHEN **PICTOGRAM**



AC 491
LINE Screw fixing



SHOWER PICTOGRAM



AC 495
LINE Screw fixing



SOAP PICTOGRAM



PAPER PICTOGRAM

AC 426
LINE Adhesive



surface

A-Line

www.hygiene-shop.nl - info@hygiene-shop.nl

At a glance	Pictograms							At a glance	Pictograms						
	Man	wc	Woman	Child	Changing room	Accessible	Non-smoking		Smoking	First aid	Cloakroom	Kitchen	Shower	Soap	Paper
Installation type	surface	surface	surface	surface	surface	surface	surface	Installation type	surface	surface	surface	surface	surface	surface	surface
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304
Adhesive	AC 400	AC 404	AC 410	AC 420	AC 422	AC 430	AC 440	Adhesive	AC 450	AC 460	AC 470	AC 490	AC 494	AC 425	AC 426
Screw fixing	AC 401	AC 405	AC 411	AC 421	AC 423	AC 431	AC 441	Screw fixing	AC 451	AC 461	AC 471	AC 491	AC 495		
Width (mm)	120	120	120	120	120	120	120	Width (mm)	120	120	120	120	120	70	70
Height (mm)	135	120	135	120	135	135	135	Height (mm)	135	120	120	120	120	30	30
Depth (mm)	2	2	2	2	2	2	2	Depth (mm)	2	2	2	2	2	0.8	0.8
Weight (kg)	0.2	0.2	0.2	0.2	0.2	0.2	0.2	Weight (kg)	0.2	0.2	0.2	0.2	0.2	0.2	0.2



BARRIER-FREE LIVING

_ AREAS OF APPLICATION P. 116

_ GOOD TO KNOW P. 118

_ TOILET AND WASHBASIN

SUPPORT AND GRAB RAILS ADJUSTABLE MIRROR

P. 120

_ SHOWER

SHOWER RAILS WITH SHOWER RISER,

P. 122 SHOWER GRAB RAILS SHOWER CURTAIN RAILS

P. 123

116

WC HELPERS (Folding) support rail, backrest, call button, toilet roll holder for accessible toilets.

ADJUSTABLE (Folding) support rail and adjustable mirror for accessible sinks.



FOR

THE TOILET

AREAS OF APPLICATION

THE SHOWER



GRIPPY ideal 32 mm tube diameter, satin finish or with textured anti-slip surface for a safe grip.

SAFE GRIP



FOR YOUR SAFETY all handles are TÜV certified to DIN EN 12182 and have a load capacity up to 125 kg.

TESTED



FREE ACCESS



PLUS POINTS


LENGTH DEPENDENT



PERFECT SEATING



At a glance	Wall to floor support rail	Support rails		Grab rail	Angled grab rails	Adjustable mirror		
	BF 660	BF 611	BF 670	BF 600	BF 620	BF 630	BF 635	BA 300
Installation type	surface	surface	surface	surface	surface	surface	surface	surface
Stainless steel mat.no.	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304	AISI 304 polished
Length x width (mm)/weight (kg)	850×850/4.0	500/2.4	600/4.6	300/1.2	650x350/2.2	500×270/1.9	700 x 150 / 2.1	600×540×90/9.0
	900×900/4.1	600/2.7	700/4.9	400/1.3	750×350/2.2			angle +/- 15°
		700/3.0	850/5.4	500/1.5				
		850/3.5		600/1.6				
				1000/2.2				
Special sizes available	•		=	•	•	•	-	
Left/right versions	•				•	•	•	•
Satin surface	•		=	•	•	•	-	
Textured surface	•	•		•	•	•	•	
Incl. fixing material	•	(optional)	(optional)	•	•	•	-	



At a glance	Shower rail with show	wer riser	Shower grab rails		At a glance	Shower curtain rails		
	BF 601	BF 625	BF 640	BF 650		BF 680*	BF 690	
Installation type	surface	surface	surface	surface	Installation type	surface	surface	
Stainless steel mat.no.	1.4301	1.4301	1.4301	1.4301	Stainless steel mat.no.	1.4301	1.4301	
Length x width (mm)/weight (kg)	600/2.9	1100×600/4.8	900×900×1150/7.5	900×900/3.7	Length x width (mm)/weight (kg)	900x900/3.4	900/2.1	
	800/3.2		800 x 800 x 1150 / 7.2	800×800/3.4		1000×1000/3.6	1000/2.3	
	1000/3.5		700×700×1150/7.0	700×700/3.1		1200 x 1200 / 4.2	1200/2.5	
	1100/3.6					1500 x 1500 / 5.1	1500/3.0	
						1000 x 1200 / 3.9		
						1000×1500/4.4		
Special sizes available	-		•		Special sizes available	•		
eft/right versions		•	•		Left/right versions	•		
Matt surface	-				Matt surface	•		
Textured surface			•	•	Textured surface			
ncl. fixing material		•	•	•	Incl. fixing material	-	-	

^{*} Please indicate the height of the required ceiling suspension when ordering.